

000000 00 00000000 0000000 0000000 000000 00000 00000000 000000

0000000 0000000 00000 000000000 0000000 00000000 00000000 00000000 000 00000 00000 00000
 3 00 00000000 .000000000 000000000 00 00000000000 000000000 0000000 0000000 000000 00000000 00000000
 000000 00 00000000 0000000 00000000000 00000 .000000000 00000000 000000 00000 0000 000000000 00 0000
 0000000 000000 00000 00000 00 000000 000 000000000 000000 .00000000 000000000 000 000000 000000 00 000000
 0000000 0000000 000 0000000 000000000 000000000 0000000 00000 0000 0000 0.23 00000.



000000000 000000000 00000 :000000000 000000 000000

0000000 000000000 000000 000000 0000 0.25 00 0.23 00000 0000000 000000 00000 00000 00 000000 000000000 0000000
 000000 000000000000 00000 0000 0000000000 000000 000000 000000 000000 00000000 0000 00000 .0000000000 000000
 000000 00000000 000000 00000000 00000 00000000 00000 0000 0000 0000 0000000000 .00000000 00000 00 0000 000000
 00000000000 000000000 00 00000000 00000000 0000 00000 000000000 00000 0000 0000000000 000000000 0000000.

0000000 0000000 00000 :0000000000 0000000 000000000

[illegible]

5/5

[illegible]

Visit the factory



20000m²

The tin box factory has a plant area of more than 1,200 square meters

20+

The factory has 30 R&D designers to ensure the realization of customers' personalized needs

2000sets

Over the past 15 years, more than 2,000 sets of tin box molds have been accumulated, and the box type is available for selection

4000000pieces

The factory has introduced more than 10 automated production lines with a monthly production capacity of up to 4 million pieces

production process



1 FOOD GRADE RAW MATERIAL

Are all made of food grade linplate production raw materials. Through the FDA\SGS\ROHS international standards such as testing, ensure the safety of your product

2 PRINTING STANDARDS

After printing, quality personnel check the printing effect again, confirm the eligibility criteria. The printing accuracy can reach more than 95-99.79%



3 Stamping process

The tin box stamping process includes cutting, pre-bending, cutting corners, forming, buckling, stamping, bottom sealing and other steps. Each step is strictly tested to ensure product quality

4 QUALITY SUPERVISION

The company has perfect ISO9001 quality control system, each product from incoming inspection to PaC. 0 qc inspection, factory inspection strictly layer upon layer, and to ensure that every product quality



Company qualifications



Our partners



Shipping & payment



PAYMENT T/T, Western Union, MoneyGram, PayPal

